

RST /CPT STUDY LIST

Family	Genus	Specific epithet	subsp. or var.	common names
Aceraceae	<i>Acer</i>	<i>rubrum</i>		red maple
Aizoaceae	<i>Tetragonia</i>	<i>tetragonioides</i>		New Zealand spinach
Amaranthaceae	<i>Amaranthus</i>	<i>albus</i>		tumble pigweed
Apiaceae	<i>Anethum</i>	<i>graveolens</i>		dill
Apiaceae	<i>Apium</i>	<i>graveolens</i>		celery
Apiaceae	<i>Carum</i>	<i>carvi</i>		caraway
Apiaceae	<i>Chaerophyllum</i>	<i>procumbens</i>		spreading chervil
Apiaceae	<i>Conium</i>	<i>maculatum</i>		poison hemlock
Apiaceae	<i>Coriandrum</i>	<i>sativum</i>		coriander
Apiaceae	<i>Daucus</i>	<i>carota</i>	subsp. <i>sativa</i>	carrot
Apiaceae	<i>Pastinaca</i>	<i>sativa</i>		parsnip
Apiaceae	<i>Petroselinum</i>	<i>crispum</i>		parsley
Apiaceae	<i>Torilis</i>	<i>nodosa</i>		knotted hedge-parsley
Asteraceae	<i>Achillea</i>	<i>millefolium</i>		common yarrow, woolly yarrow
Asteraceae	<i>Acroptilon</i>	<i>repens</i>		Russian knapweed
Asteraceae	<i>Ambrosia</i>	<i>trifida</i>		gian ragweed
Asteraceae	<i>Anthemis</i>	<i>arvensis</i>		field chamomile
Asteraceae	<i>Anthemis</i>	<i>cotula</i>		dogfennel, mayweed
Asteraceae	<i>Arctium</i>	<i>lappa</i>		great burdock
Asteraceae	<i>Carduus</i>	<i>acanthoides</i>		plumeless thistle
Asteraceae	<i>Carduus</i>	<i>nutans</i>		musk thistle, nodding thistle
Asteraceae	<i>Carthamus</i>	<i>tinctorius</i>		safflower
Asteraceae	<i>Centaurea</i>	<i>cyanus</i>		cornflower, bachelor's button, ragged robin
Asteraceae	<i>Centaurea</i>	<i>solstitialis</i>		yellow starthistle
Asteraceae	<i>Cichorium</i>	<i>endivia</i>		endive
Asteraceae	<i>Cirsium</i>	<i>arvense</i>		Canada thistle
Asteraceae	<i>Cirsium</i>	<i>undulatum</i>		wavyleaf thistle
Asteraceae	<i>Cirsium</i>	<i>vulgare</i>		bull thistle
Asteraceae	<i>Cnicus</i>	<i>benedictus</i>		blessed thistle
Asteraceae	<i>Crepis</i>	<i>capillaris</i>		smooth hawksbeard
Asteraceae	<i>Cynara</i>	<i>cardunculus</i>		artichoke, cardoon, artichoke thistle
Asteraceae	<i>Helianthus</i>	<i>annuus</i>	all types, cultivated and wild	common sunflower, wild sunflower
Asteraceae	<i>Helianthus</i>	<i>ciliaris</i>		blueweed

RST /CPT STUDY LIST

Asteraceae	<i>Hypochaeris</i>	<i>radicata</i>		spotted cat's-ear
Asteraceae	<i>Iva</i>	<i>axillaris</i>		poverty weed, poverty sumpweed, mouse-ear poverty weed
Asteraceae	<i>Lactuca</i>	<i>sativa</i>	cultivated	lettuce
Asteraceae	<i>Leucanthemum</i>	<i>vulgare</i>		oxeye daisy, Shasta daisy
Asteraceae	<i>Madia</i>	<i>sativa</i>		Chilean tarweed
Asteraceae	<i>Onopordum</i>	<i>acanthium</i>		Scotch thistle, cotton thistle
Asteraceae	<i>Picris</i>	<i>echioides</i>		bristly ox-tongue
Asteraceae	<i>Rudbeckia</i>	<i>hirta</i>		black-eyed-Susan, hairy coneflower
Asteraceae	<i>Sonchus</i>	<i>arvensis</i>		perennial sowthistle
Asteraceae	<i>Sonchus</i>	<i>oleraceus</i>		annual sowthistle
Asteraceae	<i>Tagetes</i>	<i>patula</i>		French marigold
Asteraceae	<i>Taraxacum</i>	<i>officinale</i>		dandelion
Asteraceae	<i>Tragopogon</i>	<i>porrifolius</i>		oysterplant, salsify
Asteraceae	<i>Tragopogon</i>	<i>pratensis</i>		yellow goatsbeard, meadow salsify
Asteraceae	<i>Tripleurospermum</i>	<i>maritimum</i>	subsp. <i>inodorum</i>	scentless mayweed
Asteraceae	<i>Xanthium</i>	<i>strumarium</i>		common cocklebur
Boraginaceae	<i>Amsinckia</i>	<i>tessellata</i>		western fiddleneck
Boraginaceae	<i>Buglossoides</i>	<i>arvensis</i>		corn gromwell, field gromwell
Boraginaceae	<i>Echium</i>	<i>vulgare</i>		blueweed
Boraginaceae	<i>Lappula</i>	<i>squarrosa</i>		bluebur, European stickseed
Brassicaceae	<i>Barbarea</i>	<i>verna</i>		upland cress, early wintercress
Brassicaceae	<i>Barbarea</i>	<i>vulgaris</i>		bitter wintercress, yellowrocket
Brassicaceae	<i>Berteroa</i>	<i>incana</i>		hoary alyssum
Brassicaceae	<i>Brassica</i>	<i>juncea</i>		brown mustard, India mustard, Indian mustard
Brassicaceae	<i>Brassica</i>	<i>napus</i>	var. <i>napus</i>	annual rape, winter rape
Brassicaceae	<i>Brassica</i>	<i>nigra</i>		black mustard, wild mustard
Brassicaceae	<i>Brassica</i>	<i>oleracea</i>	var. <i>botrytis</i>	broccoli, cauliflower
Brassicaceae	<i>Brassica</i>	<i>rapa</i>	var. <i>rapa</i>	annual turnip rape, biennial turnip rape, bird rape, turnip
Brassicaceae	<i>Camelina</i>	<i>microcarpa</i>		littleseed falseflax
Brassicaceae	<i>Camelina</i>	<i>sativa</i>		bigseed falseflax
Brassicaceae	<i>Capsella</i>	<i>bursa-pastoris</i>		shepherd's-purse
Brassicaceae	<i>Crambe</i>	<i>abyssinica</i>		crambe
Brassicaceae	<i>Lepidium</i>	<i>draba</i>	subsp. <i>draba</i>	heart-podded hoarycress, whitetop
Brassicaceae	<i>Lepidium</i>	<i>latifolium</i>		perennial peppergrass, perennial pepperweed, tall whitetop
Brassicaceae	<i>Lepidium</i>	<i>sativum</i>		garden cress

RST /CPT STUDY LIST

Brassicaceae	<i>Nasturtium</i>	<i>officinale</i>		watercress
Brassicaceae	<i>Raphanus</i>	<i>raphanistrum</i>		wild radish
Brassicaceae	<i>Raphanus</i>	<i>sativus</i>		radish
Brassicaceae	<i>Rapistrum</i>	<i>rugosum</i>		common giant mustard, turnipweed
Brassicaceae	<i>Sinapis</i>	<i>alba</i>		white mustard
Brassicaceae	<i>Sinapis</i>	<i>arvensis</i>		charlock, field mustard, wild mustard, wild turnip
Brassicaceae	<i>Thlaspi</i>	<i>arvense</i>		fanweed, Frenchweed, field pennycress
Caryophyllaceae	<i>Agrostemma</i>	<i>githago</i>		corncockle
Caryophyllaceae	<i>Dianthus</i>	<i>barbatus</i>		sweet William
Caryophyllaceae	<i>Silene</i>	<i>latifolia</i>	subsp. <i>alba</i>	white campion, white cockle
Caryophyllaceae	<i>Silene</i>	<i>noctiflora</i>		night-flowering catchfly
Caryophyllaceae	<i>Silene</i>	<i>vulgaris</i>	subsp. <i>vulgaris</i>	bladder campion, cowbell campion
Caryophyllaceae	<i>Stellaria</i>	<i>media</i>		common chickweed
Caryophyllaceae	<i>Vaccaria</i>	<i>hispanica</i>		cow-cockle
Chenopodiaceae	<i>Atriplex</i>	<i>canescens</i>		fourwing saltbush
Chenopodiaceae	<i>Bassia</i>	<i>scoparia</i>		kochia
Chenopodiaceae	<i>Beta</i>	<i>vulgaris</i>	subsp. <i>vulgaris</i>	beet, field beet, sugar beet, Swiss chard
Chenopodiaceae	<i>Chenopodium</i>	<i>album</i>		common lamb's-quarters
Chenopodiaceae	<i>Chenopodium</i>	<i>quinoa</i>		five-lobed goosefoot, quinoa
Chenopodiaceae	<i>Salsola</i>	<i>tragus</i>		common Russian-thistle, tumbling Russian-thistle
Chenopodiaceae	<i>Spinacia</i>	<i>oleracea</i>		spinach
Clusiaceae	<i>Hypericum</i>	<i>perforatum</i>		common St John's-wort, klamathweed
Convolvulaceae	<i>Calystegia</i>	<i>sepium</i>		hedge bindweed
Convolvulaceae	<i>Convolvulus</i>	<i>arvensis</i>		field bindweed
Convolvulaceae	<i>Cuscuta</i>	<i>pentagona</i>		field dodder
Convolvulaceae	<i>Dichondra</i>	<i>repens</i>		dichondra
Convolvulaceae	<i>Ipomoea</i>	<i>alba</i>		moonflower, white morning-glory
Convolvulaceae	<i>Ipomoea</i>	<i>hederacea</i>		ivyleaf morning-glory
Convolvulaceae	<i>Ipomoea</i>	<i>purpurea</i>		tall morning-glory, wild morning-glory, woolly morning-glory
Cucurbitaceae	<i>Citrullus</i>	<i>lanatus</i>	var. <i>lanatus</i>	watermelon
Cucurbitaceae	<i>Cucumis</i>	<i>melo</i>		muskmelon, cantaloupe, honeydew
Cucurbitaceae	<i>Cucumis</i>	<i>sativus</i>		cucumber
Cucurbitaceae	<i>Cucurbita</i>	<i>maxima</i>		mammoth pumpkin, winter large squash
Cucurbitaceae	<i>Cucurbita</i>	<i>pepo</i>		small gourd, common pumpkin, acorn squash, summer squash

RST /CPT STUDY LIST

Cyperaceae	<i>Carex</i>	<i>stipata</i>	owlfruit sedge
Cyperaceae	<i>Cyperus</i>	<i>esculentus</i>	yellow nutgrass, yellow nutsedge
Cyperaceae	<i>Cyperus</i>	<i>rotundus</i>	purple nutgrass, purple nutsedge
Cyperaceae	<i>Scirpus</i>	<i>pendulus</i>	rufous bulrush
Euphorbiaceae	<i>Acalypha</i>	<i>virginica</i>	three-seeded mercury
Euphorbiaceae	<i>Chamaesyce</i>	<i>maculata</i>	spotted spurge
Euphorbiaceae	<i>Euphorbia</i>	<i>esula</i>	leafy spurge
Euphorbiaceae	<i>Ricinus</i>	<i>communis</i>	castorbean
Fabaceae	<i>Aeschynomene</i>	<i>indica</i>	ding ding, curly indigo, Indian jointvetch, northern jointvetch, sensitive jointvetch
Fabaceae	<i>Arachis</i>	<i>hypogaea</i>	peanut,
Fabaceae	<i>Cicer</i>	<i>arietinum</i>	chickpea, garbanzo bean
Fabaceae	<i>Crotalaria</i>	<i>spectabilis</i>	showy crotalaria, showy rattlepod
Fabaceae	<i>Cyamopsis</i>	<i>tetragonaloba</i>	guar
Fabaceae	<i>Glycine</i>	<i>max</i>	soybean
Fabaceae	<i>Kummerowia</i>	<i>stipulacea</i>	Korean lespedeza
Fabaceae	<i>Kummerowia</i>	<i>striata</i>	common lespedeza, striate lespedeza
Fabaceae	<i>Lathyrus</i>	<i>aphaca</i>	yellow pea, yellow vetchling
Fabaceae	<i>Lathyrus</i>	<i>hirsutus</i>	rough-pea
Fabaceae	<i>Lathyrus</i>	<i>sylvestris</i>	flat-pea
Fabaceae	<i>Lens</i>	<i>culinaris</i>	lentil
Fabaceae	<i>Lespedeza</i>	<i>cuneata</i>	Chinese lespedeza, sericea lespedeza
Fabaceae	<i>Lotus</i>	<i>corniculatus</i>	birdsfoot trefoil
Fabaceae	<i>Lotus</i>	<i>uliginosus</i>	big trefoil
Fabaceae	<i>Medicago</i>	<i>lupulina</i>	black medic
Fabaceae	<i>Medicago</i>	<i>sativa</i>	alfalfa, lucerne
Fabaceae	<i>Melilotus</i>	<i>albus</i>	white sweetclover, hubam sweetclover
Fabaceae	<i>Melilotus</i>	<i>indicus</i>	sourclover
Fabaceae	<i>Melilotus</i>	<i>officinalis</i>	yellow sweetclover
Fabaceae	<i>Phaseolus</i>	<i>coccineus</i>	scarlet runner bean
Fabaceae	<i>Phaseolus</i>	<i>lunatus</i>	lima bean
Fabaceae	<i>Phaseolus</i>	<i>vulgaris</i>	field bean, garden bean
Fabaceae	<i>Pisum</i>	<i>sativum</i>	field pea, garden pea
Fabaceae	<i>Securigera</i>	<i>varia</i>	crownvetch
Fabaceae	<i>Sesbania</i>	<i>exaltata</i>	tall indigo, peatree, Colorado river-hemp, hemp sesbania

RST /CPT STUDY LIST

Fabaceae	<i>Trifolium</i>	<i>campestre</i>		large hop clover, low hop clover
Fabaceae	<i>Trifolium</i>	<i>dubium</i>		small hop clover, suckling clover, Irish shamrock
Fabaceae	<i>Trifolium</i>	<i>fragiferum</i>		strawberry clover
Fabaceae	<i>Trifolium</i>	<i>hirtum</i>		rose clover
Fabaceae	<i>Trifolium</i>	<i>hybridum</i>		alsike clover
Fabaceae	<i>Trifolium</i>	<i>incarnatum</i>		crimson clover
Fabaceae	<i>Trifolium</i>	<i>pratense</i>		red clover
Fabaceae	<i>Trifolium</i>	<i>repens</i>		ladino clover, white clover
Fabaceae	<i>Trifolium</i>	<i>subterraneum</i>		subterranean clover, subclover
Fabaceae	<i>Trifolium</i>	<i>vesiculosum</i>		arrowleaf clover
Fabaceae	<i>Vicia</i>	<i>benghalensis</i>		purple vetch
Fabaceae	<i>Vicia</i>	<i>faba</i>		broadbean, fava-bean, horsebean
Fabaceae	<i>Vicia</i>	<i>grandiflora</i>		showy vetch
Fabaceae	<i>Vicia</i>	<i>sativa</i>	subsp. <i>sativa</i>	common vetch
Fabaceae	<i>Vicia</i>	<i>villosa</i>	subsp. <i>villosa</i>	hairy vetch
Fabaceae	<i>Vigna</i>	<i>radiata</i>	var. <i>radiata</i>	mung bean
Fabaceae	<i>Vigna</i>	<i>unguiculata</i>	subsp. <i>unguiculata</i>	black-eyed pea, cowpea, southernpea
Geraniaceae	<i>Erodium</i>	<i>cicutarium</i>		alfilaria, redstem filaree
Geraniaceae	<i>Geranium</i>	<i>dissectum</i>		cutleaf geranium
Juncaceae	<i>Juncus</i>	<i>tenuis</i>		path rush
Lamiaceae	<i>Dracocephalum</i>	<i>parviflorum</i>		American dragonhead
Lamiaceae	<i>Mentha</i>	<i>xpiperita</i>		peppermint
Lamiaceae	<i>Nepeta</i>	<i>cataria</i>		catnip
Lamiaceae	<i>Ocimum</i>	<i>basilicum</i>		sweet basil
Lamiaceae	<i>Prunella</i>	<i>vulgaris</i>		heal-all, self-heal
Lamiaceae	<i>Salvia</i>	<i>officinalis</i>		sage
Lamiaceae	<i>Teucrium</i>	<i>canadense</i>		American germander, wood-sage
Liliaceae	<i>Allium</i>	<i>canadense</i>		wild onion, wild bulbous onion
Liliaceae	<i>Allium</i>	<i>cepa</i>		onion
Liliaceae	<i>Allium</i>	<i>fistulosum</i>		Welsh onion
Liliaceae	<i>Allium</i>	<i>porrum</i>		leek
Liliaceae	<i>Allium</i>	<i>schoenoprasum</i>		chives
Liliaceae	<i>Allium</i>	<i>vineale</i>		wild garlic
Liliaceae	<i>Asparagus</i>	<i>officinalis</i>		asparagus
Linaceae	<i>Linum</i>	<i>usitatissimum</i>		flax

RST /CPT STUDY LIST

Malvaceae	<i>Abelmoschus</i>	<i>esculentus</i>		okra
Malvaceae	<i>Abutilon</i>	<i>theophrasti</i>		butterprint, velvetleaf
Malvaceae	<i>Gossypium</i>	<i>hirsutum</i>		upland cotton
Malvaceae	<i>Malva</i>	<i>parviflora</i>		little mallow
Malvaceae	<i>Malvella</i>	<i>leprosa</i>		alkali mallow, alkali sida
Malvaceae	<i>Sida</i>	<i>spinosa</i>		prickly mallow, prickly sida
Onagraceae	<i>Gaura</i>	<i>sinuata</i>		wavy leaved gaura
Onagraceae	<i>Oenothera</i>	<i>macrocarpa</i>		Missouri primrose, Ozark sundrops
Oxalidaceae	<i>Oxalis</i>	<i>stricta</i>		yellow woodsorrel
Papaveraceae	<i>Papaver</i>	<i>rhoeas</i>		corn poppy
Pedaliaceae	<i>Sesamum</i>	<i>indicum</i>		sesame
Pinaceae	<i>Abies</i>	<i>concolor</i>		white fir
Pinaceae	<i>Pinus</i>	<i>ponderosa</i>		ponderosa pine, western yellow pine
Plantaginaceae	<i>Plantago</i>	<i>aristata</i>		bracted plantain
Plantaginaceae	<i>Plantago</i>	<i>lanceolata</i>		buckhorn, buckhorn plantain
Plantaginaceae	<i>Plantago</i>	<i>major</i>		broadleaf plantain, common plantain
Plantaginaceae	<i>Plantago</i>	<i>rugelii</i>		blackseed plantain, Rugel's plantain
Plantaginaceae	<i>Plantago</i>	<i>virginica</i>		paleseed plantain, Virginia plantain
Poaceae	<i>xTritosecale</i>			triticale
Poaceae	<i>Achnatherum</i>	<i>hymenoides</i>		Indian ricegrass
Poaceae	<i>Aegilops</i>	<i>cylindrica</i>		jointed goatgrass
Poaceae	<i>Agropyron</i>	<i>desertorum</i>		standard crested wheatgrass
Poaceae	<i>Agrostis</i>	<i>capillaris</i>		colonial bentgrass
Poaceae	<i>Agrostis</i>	<i>gigantea</i>		redtop
Poaceae	<i>Agrostis</i>	<i>stolonifera</i>	<i>var. palustris</i>	creeping bentgrass
Poaceae	<i>Aira</i>	<i>caryophyllea</i>		silver hairgrass
Poaceae	<i>Alopecurus</i>	<i>geniculatus</i>		water foxtail
Poaceae	<i>Alopecurus</i>	<i>pratensis</i>		meadow foxtail
Poaceae	<i>Andropogon</i>	<i>gerardii</i>		big bluestem
Poaceae	<i>Andropogon</i>	<i>hallii</i>		sand bluestem
Poaceae	<i>Anthoxanthum</i>	<i>odoratum</i>		sweet vernalgrass
Poaceae	<i>Arrhenatherum</i>	<i>elatius</i>		tall oatgrass
Poaceae	<i>Avena</i>	<i>fatua</i>		wild oat
Poaceae	<i>Avena</i>	<i>sativa</i>		oat
Poaceae	<i>Axonopus</i>	<i>fissifolius</i>		carpetgrass

RST /CPT STUDY LIST

Poaceae	<i>Bothriochloa</i>	<i>ischaemum</i>		yellow bluestem
Poaceae	<i>Bouteloua</i>	<i>curtipendula</i>		side-oats grama
Poaceae	<i>Bouteloua</i>	<i>dactyloides</i>		buffalograss
Poaceae	<i>Bouteloua</i>	<i>gracilis</i>		blue grama
Poaceae	<i>Bromus</i>	<i>catharticus</i>		prairie brome, rescuegrass
Poaceae	<i>Bromus</i>	<i>commutatus</i>		hairy brome, hairy chess
Poaceae	<i>Bromus</i>	<i>diandrus</i>	var. <i>rigidus</i>	ripgut brome
Poaceae	<i>Bromus</i>	<i>hordeaceus</i>		blando brome, soft chess
Poaceae	<i>Bromus</i>	<i>inermis</i>	subsp. <i>inermis</i>	smooth brome
Poaceae	<i>Bromus</i>	<i>japonicus</i>		Japanese brome, Japanese chess
Poaceae	<i>Bromus</i>	<i>marginatus</i>		mountain brome
Poaceae	<i>Bromus</i>	<i>secalinus</i>		cheat, chess
Poaceae	<i>Bromus</i>	<i>tectorum</i>		downy brome
Poaceae	<i>Cenchrus</i>	<i>ciliaris</i>		hairy buffelgrass
Poaceae	<i>Cenchrus</i>	<i>incertus</i>		coast sandbur, field sandbur
Poaceae	<i>Chloris</i>	<i>gayana</i>		rhodesgrass
Poaceae	<i>Cynodon</i>	<i>dactylon</i>	var. <i>aridus</i>	giant bermudagrass
Poaceae	<i>Cynodon</i>	<i>dactylon</i>	var. <i>dactylon</i>	bermudagrass
Poaceae	<i>Cynosurus</i>	<i>cristatus</i>		crested dogtail
Poaceae	<i>Dactylis</i>	<i>glomerata</i>		orchardgrass
Poaceae	<i>Digitaria</i>	<i>ischaemum</i>		smooth crabgrass
Poaceae	<i>Digitaria</i>	<i>sanguinalis</i>		hairy crabgrass, large crabgrass
Poaceae	<i>Echinochloa</i>	<i>crus-galli</i>		barnyardgrass
Poaceae	<i>Eleusine</i>	<i>indica</i>		goosegrass
Poaceae	<i>Elymus</i>	<i>canadensis</i>		Canada wildrye
Poaceae	<i>Elymus</i>	<i>lanceolatus</i>	subsp. <i>lanceolatus</i>	streambank wheatgrass, thickspike wheatgrass
Poaceae	<i>Elymus</i>	<i>trachycaulus</i>	subsp. <i>trachycaulus</i>	slender wheatgrass
Poaceae	<i>Elymus</i>	<i>virginicus</i>		Virginia wildrye
Poaceae	<i>Elytrigia</i>	<i>elongata</i>		tall wheatgrass
Poaceae	<i>Elytrigia</i>	<i>repens</i>		quackgrass
Poaceae	<i>Eragrostis</i>	<i>cilianensis</i>		strong-scented stinkgrass
Poaceae	<i>Eragrostis</i>	<i>curvula</i>		Boer lovegrass, weeping lovegrass
Poaceae	<i>Eragrostis</i>	<i>trichodes</i>		sand lovegrass
Poaceae	<i>Eremochloa</i>	<i>ophiuroides</i>		centipedegrass
Poaceae	<i>Eriochloa</i>	<i>aristata</i>		bearded cupgrass

RST /CPT STUDY LIST

Poaceae	<i>Festuca</i>	<i>arundinacea</i>		tall fescue
Poaceae	<i>Festuca</i>	<i>brevipila</i>		hard fescue
Poaceae	<i>Festuca</i>	<i>rubra</i>	subsp. <i>rubra</i>	creeping red fescue, red fescue
Poaceae	<i>Glyceria</i>	<i>fluitans</i>		water mannagrass
Poaceae	<i>Glyceria</i>	<i>grandis</i>		American mannagrass
Poaceae	<i>Holcus</i>	<i>lanatus</i>		velvetgrass
Poaceae	<i>Hordeum</i>	<i>jubatum</i>		foxtail barley, squirreltail barley
Poaceae	<i>Hordeum</i>	<i>vulgare</i>	subsp. <i>vulgare</i>	barley
Poaceae	<i>Leptochloa</i>	<i>dubia</i>		green sprangletop
Poaceae	<i>Lolium</i>	<i>multiflorum</i>		annual ryegrass, italian ryegrass
Poaceae	<i>Lolium</i>	<i>perenne</i>		perennial ryegrass
Poaceae	<i>Lolium</i>	<i>persicum</i>		Persian darnel, Persian ryegrass
Poaceae	<i>Lolium</i>	<i>temulentum</i>		darnel, poison ryegrass
Poaceae	<i>Megathyrsus</i>	<i>maximum</i>		guineagrass
Poaceae	<i>Nassella</i>	<i>trichotoma</i>		serrated tussock
Poaceae	<i>Nassella</i>	<i>viridula</i>		green needlegrass
Poaceae	<i>Oryza</i>	<i>sativa</i>		rice
Poaceae	<i>Panicum</i>	<i>capillare</i>		witchgrass
Poaceae	<i>Panicum</i>	<i>miliaceum</i>	subsp. <i>miliaceum</i>	broomcorn millet, proso millet
Poaceae	<i>Panicum</i>	<i>miliaceum</i>	subsp. <i>runderale</i>	wild proso millet
Poaceae	<i>Panicum</i>	<i>virgatum</i>		switchgrass
Poaceae	<i>Pascopyrum</i>	<i>smithii</i>		western wheatgrass
Poaceae	<i>Paspalum</i>	<i>dilatatum</i>		dallisgrass
Poaceae	<i>Paspalum</i>	<i>laeve</i>		field paspalum
Poaceae	<i>Paspalum</i>	<i>notatum</i>		bahiagrass
Poaceae	<i>Pennisetum</i>	<i>glaucum</i>		pearl millet
Poaceae	<i>Phalaris</i>	<i>arundinacea</i>		reed canarygrass
Poaceae	<i>Phalaris</i>	<i>canariensis</i>		canarygrass
Poaceae	<i>Phleum</i>	<i>pratense</i>		timothy
Poaceae	<i>Poa</i>	<i>annua</i>		annual bluegrass
Poaceae	<i>Poa</i>	<i>bulbosa</i>		bulbous bluegrass
Poaceae	<i>Poa</i>	<i>compressa</i>		Canada bluegrass
Poaceae	<i>Poa</i>	<i>pratensis</i>		Kentucky bluegrass
Poaceae	<i>Poa</i>	<i>trivialis</i>		rough bluegrass
Poaceae	<i>Psathyrostachys</i>	<i>juncea</i>		Russian wildrye

RST /CPT STUDY LIST

Poaceae	<i>Pseudoroegneria</i>	<i>spicata</i>		beardless wheatgrass, bluebunch wheatgrass
Poaceae	<i>Schizachyrium</i>	<i>scoparium</i>		little bluestem
Poaceae	<i>Secale</i>	<i>cereale</i>	subsp. <i>cereale</i>	rye
Poaceae	<i>Setaria</i>	<i>faberi</i>		giant foxtail
Poaceae	<i>Setaria</i>	<i>italica</i>		foxtail millet, Italian millet
Poaceae	<i>Setaria</i>	<i>parviflora</i>		knotroot bristlegrass
Poaceae	<i>Setaria</i>	<i>pumila</i>		yellow bristlegrass, yellow foxtail
Poaceae	<i>Sorghastrum</i>	<i>nutans</i>		yellow indiagrass
Poaceae	<i>Sorghum</i>	<i>xalmum</i>		almum sorghum
Poaceae	<i>Sorghum</i>	<i>xdrummondii</i>		sudangrass, sorghum-sudangrass
Poaceae	<i>Sorghum</i>	<i>bicolor</i>		broom corn, milo, shattercane, sorghum
Poaceae	<i>Sorghum</i>	<i>halepense</i>		johnsongrass
Poaceae	<i>Sporobolus</i>	<i>airoides</i>		alkali sacaton
Poaceae	<i>Sporobolus</i>	<i>cryptandrus</i>		sand dropseed
Poaceae	<i>Taeniatherum</i>	<i>caput-medusae</i>	subsp. <i>capput-medusae</i>	medusahead, medusahead rye
Poaceae	<i>Triticum</i>	<i>aestivum</i>	subsp. <i>aestivum</i>	common wheat
Poaceae	<i>Triticum</i>	<i>aestivum</i>	subsp. <i>spelta</i>	spelt
Poaceae	<i>Triticum</i>	<i>turgidum</i>	subsp. <i>durum</i>	durum wheat
Poaceae	<i>Urochloa</i>	<i>ramosa</i>		browntop millet
Poaceae	<i>Vulpia</i>	<i>myuros</i>		rattail fescue
Poaceae	<i>Vulpia</i>	<i>octoflora</i>		six-weeks fescue
Poaceae	<i>Zea</i>	<i>mays</i>	all types	corn
Polygonaceae	<i>Fagopyrum</i>	<i>esculentum</i>		buckwheat
Polygonaceae	<i>Fallopia</i>	<i>convolvulus</i>		black bindweed, wild buckwheat
Polygonaceae	<i>Persicaria</i>	<i>lapathifolium</i>		pale smartweed
Polygonaceae	<i>Polygonum</i>	<i>aviculare</i>		prostrate knotweed
Polygonaceae	<i>Rheum</i>	<i>xhybridum</i>		rhubarb
Polygonaceae	<i>Rumex</i>	<i>acetosa</i>		sorrel, garden sorrel
Polygonaceae	<i>Rumex</i>	<i>acetosella</i>		red sorrel, sheep sorrel
Polygonaceae	<i>Rumex</i>	<i>crispus</i>		curly dock, sour dock
Primulaceae	<i>Anagallis</i>	<i>arvensis</i>		scarlet pimpernel
Primulaceae	<i>Primula</i>	<i>xpolyantha</i>		polyanthus
Ranunculaceae	<i>Ranunculus</i>	<i>abortivus</i>		small-flower buttercup, small-flower crowfoot
Rosaceae	<i>Potentilla</i>	<i>tridentata</i>		three-toothed cinquefoil
Rosaceae	<i>Rosa</i>	<i>multiflora</i>		multiflora rose

RST /CPT STUDY LIST

Rosaceae	<i>Rubus</i>	<i>spp.</i>		blackberry, raspberry
Rubiaceae	<i>Galium</i>	<i>aparine</i>		cleavers, galium
Rubiaceae	<i>Sherardia</i>	<i>arvensis</i>		field madder
Sapindaceae	<i>Cardiospermum</i>	<i>halicacabum</i>		ballonvine, heartseed
Scrophulariaceae	<i>Veronica</i>	<i>officinalis</i>		common speedwell
Solanaceae	<i>Capsicum</i>	<i>annuum</i>		pepper
Solanaceae	<i>Datura</i>	<i>stramonium</i>		jimsonweed
Solanaceae	<i>Lycopersicon</i>	<i>esculentum</i>	<i>var. esculentum</i>	tomato
Solanaceae	<i>Nicotiana</i>	<i>tabacum</i>		tobacco
Solanaceae	<i>Physalis</i>	<i>alkekengi</i>		chinese lanternplant
Solanaceae	<i>Solanum</i>	<i>elaeagnifolium</i>		white horsenettle, purple nightshade, silverleaf nightshade
Solanaceae	<i>Solanum</i>	<i>melongena</i>		eggplant
Solanaceae	<i>Solanum</i>	<i>nigrum</i>		black nightshade
Solanaceae	<i>Solanum</i>	<i>ptychanthum</i>		eastern black nightshade
Solanaceae	<i>Solanum</i>	<i>rostratum</i>		buffalobur
Verbenaceae	<i>Verbena</i>	<i>stricta</i>		hoary vervain, woolly vervain
Zygophyllaceae	<i>Tribulus</i>	<i>terrestris</i>		puncturevine